- 1. The ventral mesentery forms all the following ligaments and omenta EXCEPT:
  - a) Falciform ligaments
  - b) Ligamentumteres
  - c) Coronary ligaments
  - d) Triangular ligaments
  - e) Lesser omentum
- 2. The dorsal pancreatic bud forms all the following parts of the pancreas **EXCEPT**:
  - a) Uncinate process of the pancreas
  - b) Superior part of the head
  - c) Neck
  - d) Body
  - e) Tail
- 3. <u>The omphalocele</u>all the following segment are correct EXCEPT:
  - a) It is a herniation of the mid gut through the body wall into amniotic cavity
  - b) It results from unreturn physiological hernia
  - c) It is associated with high rate of mortility
  - d) It is associated with severe malformation
  - e) It is associated with chromosomal abnormality
- 4. **Imperforated anus** Results from which of the following:
  - a) Cloaca is too small
  - b) Defect in the growth of urorectal septum
  - c) Failure of the anal membrane to break down
  - d) Defect in the development of urogenital sinus
  - e) Defect in the growth of the proctodeum
- 5. a 6-week-old infant , projecting vomits , diarrhea &wight loss what is the most Appropriate defect:
  - a) pyloric stenosis
  - b) Esophageal stenosis
- 6. In the posterior abdominal wall all of the following lies at the left side of posas major muscle Except:
  - a) Femoral nerve
  - b) Lateral cutaneous nerve of the thigh
  - c) Genitofemoral nerve
  - d) Iliohypogastric nerve
  - e) Ilio inguinal nerve
- 7. The lower third of the anal canal all the following statements are correct EXCEPT:
  - a) Surrounded by external anal sphincter
  - b) It is ectodermal in origin
  - c) The lining epithelium is stratified non keratinized
  - d) It is sensitive to pain and touch
  - e) It contain anal columns

- 8. <u>The palatine tonsil</u> all the following statement are correct <u>EXCEPT:</u>
  - a) It lies in the tonsillar sinus between two folds of mucosa
  - b) Has sensory innervation from the lesser palatine nerve
  - c) Has lymphatic drainage to the juglodigastic lymph nodes
  - d) The source of bleeding after tonsillectomy is usually the arterial blood supply
  - e) Receives blood supply from the facial artery
- 9. <u>Meckels diverticulum</u> all the following statement are correct <u>EXCEPT</u>:
  - a) Occurs in the antimesentric branch of the ileum
  - b) May contain gastric mucosa
  - c) It is situated 2 feets from the ilioecal junction
  - d) It represent a persistent of vitelline duct
  - e) May communicate with bladder
- 10. All the following lies posterior to the 3<sup>rd</sup> part of the duodenum **EXCEPT**:
  - a) The right ureter
  - b) the right psoas muscle
  - c) the inferior vena cava
  - d) the aorta
  - e) the superior mesenteric artery
- 11. Regarding the histology of the liver all following statement are true except:
  - e) Kuppfer cells are found the space of disse
- 12. All the following statement are true regarding H2-Receptor Antagonists EXCEPT:
  - a) Inhibit 60% of day-time, meal stimulated, acid.
  - b) IV H2 antagonists are preferable over IV PPI in preventing Bleeding from Stress-Related Gastritis
  - c) Not effective in the presence of H.pylori infection
  - d) Used to prevent ulcer of NSAIDs.
  - e) Cimetidine can inhibit cytochrome P450 enzymes so can increase half life of many drugs.
- 13. Which of the foo; owing drugs used to prevent travelers diarreha:
  - a) Cholestyramine
  - b) Colestipol
  - c) Colesevelam
  - d) Bismuth subsalicylate.
  - e) Loperamide
- 14. All the following are adverse effect of PPI EXCEPT: (not sure if the Q was like this)
  - a) Diarrhea, headache, abdominal pain.
  - b) Reduction of cyanocobalamine absorption.
  - c) Increased risk of GI and pulmonary infection
  - d)
  - e) Atrophic gastritis

- 15. All the followingdrugs does not cross BBB EXCEPT:
  - a) Alvimopan
  - b) Domperidone
  - c) Loperamide
  - d) Methylnaltrexone
  - e) Metclopromide

## 16. Which of the following drugs used against *W bancrofti:*

- a) Paromomycin Sulfate
- b) Doxycycline
- c) Bithionol
- d) Albendazole
- e) Diethylcarbamazine Citrate
- 17. the treatment of choice for giardiasis:
  - a) Metronidazole
  - b) Iodoquinol
  - c) DiloxanideFuroate
- 18. Infliximab is:
  - a) is a humanized recombinant human IgG1 monoclonal antibody against TNF
  - b) is a pegylated (Polyethylene glycol ) humanized fragment antigen binding (Fab) that binds TNF
  - c) Humanized IgG4 monoclonal antibody against the cell adhesion molecule  $\alpha$  4-integrin subunit
  - d) is associated with increased incidence of respiratory infections
  - e) not effective for refractory ulcerative colitis
- 19. Which of the following drugs inhibit dihydrofolatereductase enzyme:
  - a) Azathioprim
  - b) 6-Mercaotopurine
  - c) Methotrexate

## 20. Sulfasalazine is :

- a) 5-ASA coated in a pH-sensitive resin
- b) Enema
- c) Suppositories
- d) Timed-release microgranules
- e) 5-ASA azo compound
- 21. Drug is restricted to women with severe diarrhea-predominant IBS is:
  - a) Alosetron
  - b) Tegaserod
  - c) Prucalopride
  - d) Lubiprostone
  - e) Dicyclomine

22. All of the following are associated with *Clostridium perfringens EXCEPT:* 

- a) Food intoxication
- b) Meningitis
- c) Blood sepsis
- d) Diarrhea
- e) vomiting