Pharmacology Final exam

Hope Group (2016)

- 1)Which of the following is true about barbiturates?
- (i) They suppress REM(rapid eye movement sleep)
- (ii) They have a wide therapeutic index
- (iii).....
- Answer: (i)they suppress REM
- 2)Which of the following is true?
- Answer: benzodiazepines work by increasing the effectiveness of GABA receptors
- 3)Which of the following is not true about morphine?
- (i)It produces analgesia
- (ii)It produces constipation
- (iii)Long term usage can result in tolerance
- (iv)It results in pupil dilatation (mydriasis)
- Answer: (iv) It results in pupil dilatation (mydriasis) (because it results in sever miosis)
- 4) Which of the following are adverse effects of tricyclic antidepressants?
- (i)Dry mouth
- (ii)Cardiac toxicity
- (iii)Urine Retention
- (iv).....
- (v)All of the above
- Answer: (v)All of the above
- 5)Which of the following antibiotics is contraindicated in children?
- Answer: Ciprofloxacin 6) Which of the following can be used to treat anaerobic infection in general?

(i)Chloramphenicol (ii)Imipenem (iii)Cefoxitin (iv)Penicillin (v)All of the above Answer: Probably (v) but I am not sure 7) Which of the following antibiotics isn't suitable for a pregnant woman? Answer:Tetracycline 8)Which of the following is true Answer:penicillin and aminoglycoside combination is a synergistic combination 9)A basic drug has a pKa of 6.0. If the drug is placed in a solution of pH 8.0. What is the % of the unionized form of the drug? Answer: 1% 10)Which of the following drugs can be used in amoebic infections? Answer: Metronidazole 11)Which of the following is an example of an antifungal drug? i) omeprazole ii)ketoconazole iii).... Answer: Ketoconazole 12)Which of the following anticancer drugs is associated with hemorrhagic cystitis? Answer: Cyclophosphamide 13)Which of the following is the drug of choice of the treatment of Pneumocystis Jiroveci? Answer: Cotrimoxazole 14)Which of the following drugs is the best at reducing acid secretion? Answer:Famotidine(because no

PPIs-omeprazole- were found in the choices)

15)Which of the following is a common adverse effect for NSAIDs? Answer: they cause gastric ulceration 16)Which of the following drugs causes the least GI damage? Answer:Celecoxib(all other choices were other NSAIDs) 17) Which of the following antidiarrheal drugs is used with atropine? (i)Diphenoxylate (ii)Loperamide (iii)Kaolin (iv)Pectin Answer: Diphenoxylate 18) Which of the following drugs works by drawing water from the intestines and increases their size? i)methylcellulose ii)magnesium hydroxide iii)docusate Answer:Methylcellulose 19) Which of the following drugs must be administered to a person suffering from an acute asthmatic attack? i)salbutamol ii)salmeterol iii)..... Answer:Salbutamol 20)Which of the following drugs can reduce the release of histamine from mast cells? Answer:cromolyn sodium 21)Which of the following drugs results in reye's syndrome when administered to a child with a viral infection? Answer: Aspirin

22) What is the major cause of hypochromic microcytic anemia?

- Iron deficiency >>
- thalassemia
- gastric atrophy
- 23) Zero order Kinetics:
- Cannot be described in terms of a constant half-life >>
- are applied to all drugs at therapeutic concentrations
- are concentration dependent
- all of the above.
- 24) the drug used to protect form influenza A virus and is used in Parkinson's disease is:
- -Amantidine >>
- Acycolvir
- Nyastatin
- 25) Which of the following is an antiplatelet drug:
- Aspirin >>
- warfarin
- heparin
- t-PA
- 26) which of the following in not used in aspirin toxicity:
- Acidifying the urine >>
- gastric lavage
- administering activated charcoal
- 27) Which of the following is used in patent ductus arteriosus:
- Indomethacin >>
- Phenylbutazone

- Aspirin - Ibuprofen

28) Which drug is used in treating myasthenia gravis:

-Neostigmine >>

29) Which of the following in contraindicated to be used In heart failure:

-Ca2+ Channel blockers >>

30) Which of the following drugs acts directly on the heart:

- Propanolol >>

- Enalopril

32) Which of the following blocks Angiotenisin II receptors:

- Valsartan >>

-Captopril

33) Which drug causes discoloration of teeth:

- Tetracycline >>

- Chloramphenicol
- 34) The Loading dose is calculated by:
- multiplying the desired plasma concentration by the volume of distribution >>
- multiplying the desired plasma concentration by the clearance
- multiplying the desired plasma concentration by the half-life
- 35) domperidone is better than metacloprmide because it is:
- more potent
- has a higher efficacy
- free of extrapyrmidial effects >>
- all of the above
- 37) Which of the following is false about propanolol:
- It can be used in the management of Prinzmetal's angina >>

38) Clonidine causes rebound increase in blood pressure if stopped suddenly because: - receptor upregulation.

- 39) Hoarseness of the voice is cause by:
- Beclomethasone >>
- Predinsolne
- Salbutamol
- Nedocromil
- 40) Which of the following drugs has a uricosuric effect:
- probenecid >>
- Allopurinol
- Colchicine
- 41) which of these drugs is used to relieve pain in gout:
- Colchicine >>
- Allopurinol
- Probenicid
- 42) which of the following is best used in acute coronary attacks:
- Sublingual Nitroglycerin >>
- Isosorbid Dinitrate
- Transdermal Nitorglycerin
- Isosorbid mononitrate
- 43) The drug that's acting directly against the ankle pain in gout patients :
- <C+> colchicines
- 44) which of the following drugs causes hypokalemia :
- i)hydroxythiazide>>
- ii)captopril
- iii)digoxin 45)all of the following causes tachycardia, except:

i)nifedepine ii)verapamil>> iii)prazosin 46) digoxin: i)has a long plasma half life ii) used in the cases of atrial fibrillation iii)has a narrow therapeytic index iv)all of the above>> 46) which of the following is true : i)folic acid is not effective orally ii)parenteral administration of iron is common iii)desferal is used in cases of severe iron intoxication>>> 47) which of the following is used in the treatment of hepatic amoebiasis i)metronidazole>>> ii)quinine iii)..... Nate : no systemic amoebicidal were written 48) which of the following is the best histamine blocker (or sth like that) i)cimetidine ii)ranitidine>> iii)famotidine 49)paracetamol toxicity:

i)is treated by N-acetyl ...(sth not cysteine)

ii) is not influenced by the age iii) is affected by being alcoholism>>>

50) theophyllin:

i)bronchodilation

ii)tachycardia

iii)...

iv) all the above>>>> (am not sure of the answer)

Pharmacology Final Exam Questions (2017)

What is the DOC for acute angina pectoris?

Nitroglycerin sublingually

2 Which of these causes tachycardia & tremor as side effects ?

Salbutamol

2 A 10-year old children with acute streptococcal tonsilitis. The best medication is?

a.Benzathine penicillin

b.Penicillin V

c.Erythromycin

d.Tetracycline

Answer: b

ACE inhibitors are contraindicated in :

Bilateral renal stenosis

All of the following are Adverse Effects of Nitrovasodilators except:

a. Tachycardia

b. Syncope

c. Hypertention

d. Severe throbbing headache

e. Dizziness

Answer: c

Chloroquine is used for :

- a. Malaria
- b. Toxoplasmosis
- c. Leishmaniasis
- d. Giardiasis

Answer: a

What is use to treat asthma by inhalation except? a. Cromolyn.

- b. Theophylline
- c. Bechalothacsone
- d. Ipratropium

Answer: b

Loading dose is equal to

Volume of Distribution * desired steady-state plasma concentration

All are side effects of morphine except

- a. Mydriasis
- b. Constipation
- c. Euphoria
- d. Vomiting
- e. Hypotension

Answer: a

What is the therapeutic index (TI)

mean TD50/ED50

Drug contraindicated in the treatment of heart failure

Verapamil

All the following drugs are used for peptic ulcer except

a. Clarithromycin

b. Cimetidine

c. Prilosec

d. Gentamicin

Answer: d

Ototoxicity and Nephrptoxicity are adverse reactions for

- a. Aminoglycosides
- b. Penicillins
- c. Macrolides
- d. Chloramphenicol
- Answer: A Which of the following is true about Warfarin
- a. A rapid onset of 1-2 hours
- b. Taken Intravenously
- c. Half life is 40 minutes
- d. Inhibits vitamin K epoxide reductase
- e. Works both In vivo & in vitro

Answer: e

A weak base with a pKa of 8. The ratio of the base in the unionized form to the

ionized form in solution pH 7.0 is

a.1
b.90
c.50
d.99
e.10
Answer: e
which of the following is considered as both anitviral & anti-neoplastic drug?
Interferon
What is the antidote for heparin toxicity?
a. Protamine
b. Phytonadione
Answer: a
Which of the following can inhibit lipooxygenase?
a. Zileuton
b. Zafirtukast
Answer: a
Which of the following is false about NSAIDS?
Are as effective as corticosteroids in their anti-inflammatory action in treating
rheumatoid arthritis
Alteplase is a fibroneyltic drug

a. ADP inhibitor

b. TXA2 inhibitor

- c. GP IIb/IIIa inhibitors
- d. Converts plasminogen into plasmin

Answer: c

- Which of these is a result of sympathetic stimulation:
- a. Miosis
- b. Hypoglycemia
- c. Bradycardia
- d. None of the listed

Answer: d

Which of the following is the side effect that primarily causes treatment rejection

in anti-cancer therapy?

- a. Delayed wound healing
- b. Nausea & Vomiting
- c. BM & lymphoreticular system depression
- d. sterility

Answer: b

Which drug is most likely to undergo 1st pass hepatic metabolism ?

- a. Isosorbide mononitrate
- b. Nitroglycerin

Answer: b

Which of the following drugs must be administered to a person suffering from an

acute asthmatic attack?

- a. Beclomethasone
- b. Montelukast

c. Salbutamol

d. Cromolyn

Answer: c

- Hoarseness of the voice is cause by
- a. Beclomethasone
- b. Prednisone
- c. Zileuton
- d. Ipratropium

Answer: a

For TB treatment ... all of the following except are used :

- a. Isoniazed
- b. Rifampicin
- c. Ethambutol
- d. Gentamicin
- e. Streptomycin

Answer: d

Which of the following drugs is used both in atrial fibrilation & Heart Failure?

- a. Digoxen
- b. Nitroglycerin
- c. Losartan

Answer: a

What is true about drug receptor interaction:

- a. The antagonist binds to the receptor to induce a specific action
- b. Partial antagonists & Full antagonists differ only in their potency
- c. A chemical antagonist prevents the action of the antagonist by acting on

different receptors

d. The agonist binds to the receptor to induce a specific action

Answer: d

- Which of the following is ture about Gentamicin :
- a. They are effective against gram -ve aerbos
- b. Tthey are not effective orally
- c. They can be given with penecillin
- d. ADRs include nephrotoxicity
- e. All of the above
- Answer: e Which is correct about Vinblastine?
- It's from vinca alkaloids , periwinkle plants

Fe is not used in :

- a. Menorrhagia
- b. Late weaning
- c. Sickle cell anemia

Answer: c

which of the following has an Inhibitory action :

- a. NoreEpinephrine
- b. GABA
- c. Glutamate
- d. Dopamine
- e. Substance P

Answer: b

All of the following is true about Omeprazole except :

- a. Can be used with sucralfate
- b. Is a proton pump inhibitor
- c. Given in enteric-coated preperations
- d. Block the last step in the secretion of gastric acid

Answer: a

Benzodiazepines are?

- a. Aanticonvulsants
- b. Used to treat muscle spasticity
- c. Used to treat insomnia
- d. All of the above

Answer: d

- Which of the following is used to treat typhoid fever?
- a. Ciprofloxacin
- b. Metronidazole
- c. Chloramphenecoll
- d. Tetracycline
- e. All of the listed Answer: e

Which of the following is considered an osmotic laxatives ?

- a. Methylcellulose
- b. Lactulose
- c. Docusate
- d. Bisacodyl
- Answer: b

Which of the following is subject to first pass hepatic metabolism?

a. Rectal

b. IV

- c. Sublingual
- d. Vaginal
- e. Intranasal
- Answer: a

What is true about the antimetabolite Methotrexate?

- a. Folic acid analogue
- b. Used to treat psoriasis
- c. Complicated in liver disease
- d. High doses are followed by a folinic acid rescue
- e. All of the above

Answer: e

All of the following is adverse effects cytotoxic drugs except :

- a. Anemia
- b. Hyperglycemia
- c. Hyperuricemia
- d. Cancer
- e. Hepatic damage

Answer: b

- Which of the following is false about Ranitidine
- a. Blocks histamine action at H2 receptors
- b. Prevents stress ulcers
- c. More effective than Cimetidine d. More Adverse reactions compared to Cimetidine

Answer: d

when the drug undergoes biotransformation (metabolism) in the liver it becomes?

a. less toxic

- b. Inactive pharmacolegically
- c. More easily excreted
- Answer: c
- The main problem with using ACE inhibitors ?
- a. Angioedema
- b. Renal insufficiency
- c. Hyperkalemia
- d. Persistent dry cough
- e. All of the above

Answer: e